

Advancing Artificial Intelligence: An In-Depth Look at Machine Learning and Deep Learning Architectures, Methodologies, Applications, and Future Trends

Dr. Julian E. Vance

Department of Data Science and Machine Learning, Crestwood Polytechnic University, London, UK

Prof. Anya S. Petrova

Faculty of Computational Engineering, Global Institute of Technology, Singapore, Singapore

Article received: 05/07/2025, Article Revised: 06/08/2025, Article Accepted: 01/09/2025

DOI: <https://doi.org/10.55640/ijidml-v02i09-01>

© 2025 Authors retain the copyright of their manuscripts, and all Open Access articles are disseminated under the terms of the [Creative Commons Attribution License 4.0 \(CC-BY\)](#), which licenses unrestricted use, distribution, and reproduction in any medium, provided that the original work is appropriately cited.

ABSTRACT

The fields of Machine Learning (ML) and Deep Learning (DL) are pivotal to the modern advancements in Artificial Intelligence (AI) and have introduced powerful capabilities for systems to learn from complex data. As these technologies continue to evolve rapidly, a comprehensive review of their foundational concepts, architectures, applications, and future trajectories is essential. This paper aims to provide a consolidated overview of the current state of ML and DL, highlighting key methodologies and emerging trends. We conducted a systematic review of the literature, focusing on the core paradigms of supervised, unsupervised, and reinforcement learning. The review details the standard ML/DL workflow from data preprocessing to deployment and examines the primary architectures of deep neural networks, including Convolutional Neural Networks (CNNs), Recurrent Neural Networks (RNNs), and Transformers. Our analysis reveals that DL, through its multi-layered neural architectures, has enabled unprecedented success in tasks such as computer vision and natural language processing. The review identifies widespread applications across diverse sectors, including healthcare (e.g., medical imaging), finance (e.g., fraud detection), agriculture, and robotics. Furthermore, we highlight critical advancements and ongoing research priorities, such as Explainable AI (XAI) for enhancing model transparency, federated learning for privacy-preserving computation, and the growing focus on ethical AI to mitigate bias and ensure fairness. ML and DL are fundamental drivers of AI innovation, with applications that are reshaping industries globally. The future of these fields is marked by a focus on addressing practical challenges such as interpretability and ethical considerations, alongside exploring novel frontiers like quantum machine learning and Edge AI. This review underscores the profound impact of these technologies and points toward a future of more intelligent, transparent, and ethically-minded AI systems.

KEYWORDS

Artificial Intelligence, Machine Learning, Deep Learning, Neural Networks, Explainable AI, Federated Learning, Quantum Machine Learning.

INTRODUCTION

Artificial Intelligence (AI) represents a foundational and transformative field, reshaping industries and daily life through its ability to simulate human-like cognitive functions. Its historical lineage traces back to the mid-20th century, with pivotal moments like the 1956 Dartmouth Workshop that first formally defined the field. However, it is in the last two decades that AI has truly

surged, driven by two interconnected and potent subfields: Machine Learning (ML) and Deep Learning (DL) [1, 25]. These technologies empower systems to learn from data, identify intricate patterns, and make intelligent decisions without being explicitly programmed for every scenario [17, 18]. Machine learning, a broad discipline, encompasses a variety of algorithms that allow computers to improve their

performance on a specific task through experience [7, 18]. Deep learning, in turn, represents a specialized subset of ML that leverages complex, multi-layered neural networks to automatically extract hierarchical features from raw data, a capability that has led to unprecedented breakthroughs in fields that were previously considered intractable for AI [1, 25, 27].

The explosive growth of ML and DL has been fueled by several key factors: the availability of massive datasets, the substantial increase in computational power (particularly with GPUs), and the development of sophisticated algorithms and open-source software libraries [25, 27, 29]. This convergence has enabled the creation of models of immense scale and complexity, capable of solving a wide range of problems with a level of accuracy that was unimaginable just a few years ago. However, the rapid and widespread adoption of these technologies has also given rise to an urgent need for a comprehensive overview. The field is fragmented, with specialized research proliferating across diverse application areas and methodological niches. A holistic review that synthesizes the foundational principles, architectural advancements, diverse applications, and future research directions is crucial for both seasoned researchers seeking a consolidated view and newcomers to the field who need a structured understanding.

This paper aims to fill that gap by providing an in-depth analysis of ML and DL, offering a unified perspective on their core architectures, methodologies, and the transformative impact they have had across various sectors. The paper is structured to first ground the reader in the fundamental concepts before delving into the technical specifics and real-world implications. We will begin by discussing the fundamental learning paradigms—supervised, unsupervised, and reinforcement learning—and detail the standard workflow that underpins model development [7, 18]. Our analysis will then delve into the specifics of advanced deep learning architectures, such as Convolutional Neural Networks (CNNs), Recurrent Neural Networks (RNNs), and Transformers, which have driven many of the recent successes in computer vision and natural language processing [26, 29].

Following this, we will explore the wide-ranging applications of these technologies, from critical uses in medical imaging and drug discovery to financial fraud detection, autonomous robotics, and structural health monitoring [2, 3, 5, 6]. Our discussion will not be limited to current successes; it will also examine critical emerging themes that are moving from theoretical research to practical necessity. These include Explainable AI (XAI), which seeks to make complex model decisions transparent; ethical AI, which addresses critical issues of bias and fairness; federated learning, a privacy-preserving approach to distributed training; and continual learning, a strategy for models to adapt to new

information without forgetting prior knowledge [17, 18, 14]. The paper concludes by looking at the frontiers of the field, highlighting the potential of quantum machine learning and Edge AI as key drivers of future innovation. By synthesizing these diverse elements, this article provides a consolidated resource for understanding the past, present, and future trajectory of ML and DL.

METHODOLOGY

Core Concepts of Machine Learning and Deep Learning

The success of modern AI is built upon a robust methodological foundation, centered on how models learn from data. This section breaks down the core learning paradigms and the standard workflow that govern the development and deployment of both traditional ML and advanced DL models.

Machine Learning Paradigms

At its core, machine learning operates on three primary learning paradigms, each suited to different types of data and problem statements. Understanding these paradigms is essential for selecting the appropriate approach for any given task.

1. Supervised Learning

This is the most common paradigm and involves training a model on a labeled dataset, where each data point is paired with a corresponding correct output [12, 18]. The model's objective is to learn the mapping function from inputs to outputs, allowing it to generalize and make accurate predictions on new, unseen data [7]. This paradigm is primarily associated with two types of tasks:

- **Classification:** The goal is to predict a categorical label or class for an input. Examples include determining if an email is spam or not, identifying a disease from a medical scan, or classifying an image as containing a cat or a dog [12]. Popular algorithms include logistic regression, which is a probabilistic model for binary classification, support vector machines (SVMs), which find an optimal hyperplane to separate data points into classes, and decision trees, which use a tree-like model of decisions and their possible consequences [16].
- **Regression:** The goal is to predict a continuous numerical value. Examples include predicting house prices based on features like size and location, forecasting stock prices, or predicting a patient's recovery time based on their medical history [16]. Common regression algorithms include linear regression, which models the relationship between a dependent variable and one or more independent variables as a straight line, and more complex models like random forests or gradient boosting machines.

A key challenge in supervised learning is the trade-off between bias and variance. High bias can cause a model to oversimplify, missing relevant relationships between features and the target output (underfitting). High variance, conversely, can cause a model to be overly sensitive to the training data, capturing noise rather than the underlying pattern and performing poorly on new data (overfitting). The effectiveness of supervised learning is strongly associated with the quality and quantity of the labeled training data [12].

2. Unsupervised Learning

In contrast, unsupervised learning deals with unlabeled data, where the training data has no corresponding output labels [10, 18]. The model's objective is not to predict an output but to discover hidden patterns, structures, or relationships within the data on its own [12]. This paradigm is particularly useful for exploratory data analysis, data compression, and anomaly detection.

- **Clustering:** This involves grouping similar data points together based on their intrinsic features. For example, a clustering algorithm might segment customers into distinct groups based on their purchasing behavior, which can inform targeted marketing strategies [16]. Popular clustering algorithms include k-means, which partitions data into k clusters by assigning each data point to the nearest cluster centroid, and hierarchical clustering, which builds a hierarchy of clusters.
- **Dimensionality Reduction:** This is the process of simplifying data by reducing the number of features or variables while retaining its most important information [12]. It is crucial for visualizing high-dimensional data and for reducing the computational burden of training models. A widely used technique is Principal Component Analysis (PCA), which finds a new set of orthogonal axes (principal components) that capture the maximum variance in the data. Another powerful method is t-SNE (t-Distributed Stochastic Neighbor Embedding), which is particularly effective for visualizing high-dimensional data by mapping it to a two or three-dimensional space.

Unsupervised learning plays a crucial role in scenarios where obtaining labeled data is expensive, time-consuming, or impossible, such as in scientific discovery or market basket analysis [10].

3. Reinforcement Learning (RL)

RL is a unique and powerful paradigm where an agent learns to make a sequence of decisions in a dynamic environment to maximize a cumulative numerical reward [18]. Unlike supervised learning, the agent is not given a dataset with correct answers; instead, it learns through a process of trial and error, receiving feedback in the form of rewards or penalties for its actions [18]. The RL framework is defined by several key components:

- **Environment:** The setting in which the agent operates.
- **State:** The current situation or configuration of the environment.
- **Action:** A move the agent makes within the environment.
- **Policy:** The agent's strategy, which dictates what action to take in a given state.
- **Reward:** A feedback signal from the environment indicating the success or failure of an action.

The agent's goal is to learn an optimal policy that maximizes the total reward over the long term. RL has achieved remarkable success in complex, dynamic tasks, such as robotic control, game playing (e.g., AlphaGo), and autonomous navigation, where the agent must adapt to an ever-changing environment [5]. Specific algorithms like Q-learning and Deep Q-Networks (DQN), which combine Q-learning with deep neural networks, have enabled RL agents to learn optimal policies in environments with vast state spaces.

The Standard ML/DL Workflow

The development of a robust and effective model, whether traditional ML or advanced DL, generally follows a systematic workflow. This structured process ensures that models are trained, validated, and deployed in a reliable and reproducible manner.

1. **Data Preprocessing:** This initial step is arguably the most critical. Real-world data is often messy and incomplete, and a model's performance is highly dependent on the quality of its input data [12]. This stage involves:
 - **Data Cleaning:** Handling missing values, correcting inconsistencies, and smoothing out noisy data.
 - **Feature Scaling:** Normalizing or standardizing numerical features to ensure they are on a similar scale, which is crucial for many algorithms to converge effectively.
 - **Feature Engineering:** Creating new, more informative features from the existing ones.
 - **Data Splitting:** Partitioning the dataset into training, validation, and test sets. The training set is used to train the model, the validation set to tune hyperparameters, and the test set to provide a final, unbiased evaluation of the model's performance on unseen data.
2. **Model Training and Evaluation:** Once the data is preprocessed, the training process begins. The model,

equipped with a specific algorithm, is fed the training data, and it iteratively adjusts its internal parameters (weights and biases) to minimize a predefined error or "loss" function [7, 13]. This process is often computationally intensive, requiring significant resources, especially for large deep learning models. A key technique used here is cross-validation, which involves repeatedly partitioning the data into training and validation sets to ensure the model's performance is robust and not dependent on a particular data split. After training, the model's performance is measured on the unseen test set using a variety of metrics. For classification tasks, these include accuracy, precision, recall, F1-score, and the Receiver Operating Characteristic (ROC) curve, which provide a comprehensive view of the model's predictive capability [16]. For regression, common metrics include Mean Squared Error (MSE) and the R-squared value.

3. **Deployment and Monitoring:** A trained and validated model is integrated into a larger software system or application, where it can make real-time predictions or decisions [15]. This is known as deployment. Post-deployment, continuous monitoring is essential. Models can degrade over time due to data drift (changes in the input data distribution) or concept drift (changes in the relationship between input features and the target variable). A dedicated field called MLOps (Machine Learning Operations) has emerged to manage the lifecycle of machine learning models in production, ensuring they remain effective and reliable over time.

Deep Learning Architectures

Deep learning distinguishes itself from traditional ML by using multi-layered neural networks to automatically learn hierarchical feature representations from raw data [9, 25, 27]. This capability to learn complex, non-linear patterns has been a key driver of modern AI breakthroughs.

1. Artificial Neural Networks (ANNs)

The fundamental building block of DL is the Artificial Neural Network. ANNs are composed of an input layer, one or more hidden layers, and an output layer [11]. Each layer consists of interconnected nodes (neurons) that process and pass on information. Training an ANN involves adjusting the connections (weights) between neurons through a process called backpropagation and an optimization algorithm to minimize the error [13]. However, ANNs with only a few hidden layers often struggle with complex, high-dimensional data, leading to the development of specialized architectures.

2. Convolutional Neural Networks (CNNs)

CNNs are a class of deep neural networks specifically designed for processing grid-like data, such as images,

videos, and speech [25, 26]. Their architecture is based on the biological visual cortex and leverages three key types of layers:

- **Convolutional Layers:** These layers apply a set of learnable filters to the input data, scanning it to extract low-level features like edges, textures, and shapes. The use of shared weights in these filters makes the network highly efficient and spatially invariant.
- **Activation Layers:** A non-linear activation function, most commonly the Rectified Linear Unit (ReLU), is applied to the output of the convolutional layers, introducing non-linearity to the model and enabling it to learn complex functions.
- **Pooling Layers:** These layers down-sample the feature maps, reducing their spatial dimensions and making the model more robust to variations in the position of features.

The hierarchical structure of CNNs allows them to learn increasingly complex features from the raw pixels of an image, which has made them the dominant architecture in computer vision tasks like object detection, facial recognition, and image classification, with popular architectures including LeNet, AlexNet, and ResNet [22, 25].

3. Recurrent Neural Networks (RNNs)

RNNs are architectures designed to handle sequential data, where the order of information is crucial [9, 26]. Unlike feed-forward networks, RNNs have loops that allow information to persist from one step to the next, giving them a form of "memory" [29]. This makes them ideal for tasks involving natural language processing (NLP), speech recognition, and time series analysis. A significant limitation of traditional RNNs is the vanishing gradient problem, which makes it difficult for them to learn long-term dependencies. This challenge was largely addressed by more advanced variants:

- **Long Short-Term Memory (LSTM) Networks:** LSTMs introduced a complex internal structure called a "cell" that can selectively remember or forget information over long sequences. The cell's components—the forget gate, input gate, and output gate—regulate the flow of information, effectively solving the vanishing gradient problem [20].
- **Gated Recurrent Units (GRUs):** A simplified version of LSTMs, GRUs combine the forget and input gates into a single "update gate," making them computationally more efficient while retaining most of the performance benefits of LSTMs.

4. Generative Adversarial Networks (GANs)

GANs are a powerful class of generative models consisting of two competing neural networks: a generator and a discriminator [10]. The generator's role is to create new data instances (e.g., images), while the discriminator's role is to distinguish between real data and the fake data produced by the generator [10]. Through this adversarial process, the generator learns to produce increasingly realistic outputs, while the discriminator becomes better at detecting fakes. This zero-sum game continues until the generator can produce fakes that are indistinguishable from real data. GANs have shown remarkable success in generating highly realistic images, art, and synthetic data for training other models [28]. There are also various extensions, such as conditional GANs, which allow for the generation of data based on a given condition, and CycleGANs, which can translate images from one domain to another without paired training examples.

5. Transformers

Introduced in 2017, the Transformer architecture has revolutionized the field of NLP and is increasingly being applied to other domains, including computer vision [21]. Its key innovation is the self-attention mechanism, which allows the model to weigh the importance of different words in a sequence when encoding a single word [21]. This ability to capture long-range dependencies efficiently and in parallel has made them the state-of-the-art for a vast array of tasks, including language translation, text summarization, and the development of large language models (LLMs). Unlike RNNs, which process sequences sequentially, Transformers can process entire sequences in parallel, dramatically speeding up training and enabling the use of much larger datasets [29]. The core of the attention mechanism involves calculating "query," "key," and "value" vectors for each element in a sequence, allowing the model to dynamically determine the relevance of all other elements to the one being processed. This flexibility and efficiency have led to architectures like Vision Transformers (ViT), which apply the same principles to image classification, demonstrating the architecture's cross-domain power.

RESULTS AND DISCUSSION: Applications and Key Advancements

The methodological prowess of ML and DL has translated into a wide array of transformative applications across numerous sectors. The success of these applications, in turn, has driven new research priorities focused on improving model reliability, fairness, and interpretability.

Cross-Domain Applications of AI

ML and DL are no longer confined to academic research; they are now foundational technologies in a multitude of

real-world applications that are driving economic and social change.

1. Healthcare

AI is revolutionizing healthcare by assisting in diagnosis, drug discovery, and personalized medicine [2, 19]. DL models, particularly CNNs, are exceptionally adept at analyzing medical images such as X-rays, CT scans, and MRIs to detect subtle anomalies that may be indicative of diseases like cancer or pneumonia with high accuracy [2, 19]. The use of CNNs for image segmentation and classification is becoming a standard practice in radiology. Beyond imaging, ML is being used to analyze vast genomic datasets to predict disease outbreaks, identify potential drug candidates, and personalize treatment plans based on a patient's genetic profile and health records [2]. This capability to process and derive insights from complex biological data promises to accelerate the pace of medical research and drug development.

2. Finance

In the financial sector, ML and DL are critical for automation, risk management, and security [3, 19]. They are employed for real-time fraud detection by analyzing billions of transaction patterns to identify anomalies indicative of fraudulent activity [3]. Time-series models, often based on RNNs or Transformers, are used in high-frequency algorithmic trading to predict market movements. Furthermore, ML models are used in credit scoring to assess the creditworthiness of individuals by analyzing vast amounts of financial data and non-traditional data sources, providing a more dynamic and comprehensive risk assessment [3]. Natural language processing (NLP) is also used to perform sentiment analysis on news articles and social media data to gauge market sentiment, which can inform investment decisions.

3. Agriculture

ML is enabling smart agriculture by helping farmers make data-driven decisions that enhance efficiency and sustainability [2]. Models can analyze a diverse range of data, including sensor data from the field, satellite imagery, and weather patterns, to optimize irrigation schedules, predict crop yields, and detect plant diseases and pests at an early stage [2]. CNNs are used to analyze aerial images from drones to monitor crop health and identify areas that require attention. This is associated with more efficient resource use, reduced environmental impact, and higher agricultural productivity [2].

4. Robotics and Autonomous Systems

ML, particularly reinforcement learning, is a key enabler for modern robotics [5]. It allows robots to learn how to

manipulate objects, navigate complex and unstructured environments, and perform tasks that were previously difficult to program explicitly [5]. Autonomous vehicles rely on a combination of ML and DL models, including CNNs for computer vision (to identify other cars, pedestrians, and traffic lights) and sensor fusion, and reinforcement learning for path planning and real-time decision-making [5]. This integration of diverse AI models is essential for creating robust and reliable autonomous systems.

5. Structural Health Monitoring

Civil infrastructure, such as bridges, buildings, and pipelines, can be monitored for structural integrity using ML [6]. Sensors collect data on vibrations, strain, temperature, and other environmental factors. ML models, including deep learning architectures, analyze this time-series data to detect potential damage or deterioration, allowing for proactive maintenance and preventing catastrophic failures [6]. This application demonstrates the potential of AI to enhance public safety and prolong the lifespan of critical infrastructure.

Emerging Methodologies and Priorities

The rapid adoption of AI has exposed new challenges and created new research frontiers focused on making these systems more trustworthy, responsible, and adaptable.

1. Explainable AI (XAI)

As AI models become more complex and are deployed in high-stakes environments like healthcare and autonomous driving, the need to understand why a model made a specific decision has become paramount [17]. XAI is a research field dedicated to developing methods that make the internal workings of complex AI models, particularly "black box" deep neural networks, transparent and interpretable to humans [17]. Techniques include producing visual heatmaps to show what part of an image influenced a CNN's decision (LIME, SHAP) or generating textual explanations for a language model's output [17]. The primary challenge in XAI is the trade-off between model performance and interpretability: more complex, high-performing models are often less interpretable, and vice versa. XAI seeks to bridge this gap, providing confidence and trust in AI systems.

2. Ethical AI

The widespread use of AI has brought ethical considerations to the forefront [18]. A key concern is algorithmic bias, where models trained on biased data can perpetuate and even amplify societal inequalities [18]. For example, a model trained on historical lending data that underrepresented certain demographic groups may learn to unfairly deny credit to applicants from those same groups. Research in ethical AI focuses on

developing frameworks and tools to detect and mitigate bias, ensure models are fair, and hold them accountable for their decisions [18]. This includes developing fairness metrics, implementing bias-mitigation techniques during training, and promoting diverse and representative datasets. Other priorities in this area include protecting user privacy, ensuring data security, and establishing clear lines of responsibility when AI systems make errors [18].

3. Federated Learning

To address privacy concerns, particularly in sensitive domains like healthcare where data sharing is restricted, federated learning has emerged as a promising solution [23]. This approach allows multiple organizations or devices to collaboratively train a shared global model without exchanging their raw, private data. Instead, local models are trained on decentralized data sources, and only the model updates (the changes to the weights) are sent to a central server to be aggregated [23]. This preserves data privacy and security while still enabling the benefits of large-scale model training. The process is iterative, with the central server sending the aggregated model back to the local devices for the next round of training.

4. Continual Learning

A major challenge for traditional models is catastrophic forgetting, where a model trained on a new task loses its ability to perform well on a previously learned task [14]. For example, an autonomous vehicle's object detection model might forget how to recognize a car after being trained on a new type of obstacle. Continual learning is a research area focused on developing models that can learn new information incrementally over time without suffering from catastrophic forgetting [14]. Strategies to address this include regularization-based methods like Elastic Weight Consolidation (EWC), which selectively protect the weights important for previously learned tasks, and memory-based methods, which store and rehearse a small subset of old data while learning new tasks. This is essential for building AI systems that can adapt and evolve in dynamic environments, such as a robotic assistant that learns new commands over its lifetime.

CONCLUSION

The journey of AI has been profoundly shaped by the advancements in Machine Learning (ML) and Deep Learning (DL). As this review has demonstrated, these technologies have evolved from theoretical concepts to practical, indispensable tools that are transforming nearly every aspect of our lives. We have explored the fundamental paradigms of supervised, unsupervised, and reinforcement learning, along with the deep learning architectures—CNNs, RNNs, and Transformers—that

have driven much of the recent success in areas like computer vision and natural language processing [26, 29]. The applications of these technologies are vast and varied, from enabling precision agriculture and real-time financial fraud detection to powering the next generation of autonomous robots and medical diagnostic tools [2, 3, 5, 6].

However, the rapid progress in AI has also highlighted the need to build more robust, transparent, and responsible systems. The growing emphasis on Explainable AI (XAI) and Ethical AI is a testament to this, underscoring the critical importance of understanding and mitigating the potential for bias and lack of transparency in high-stakes applications [17, 18]. Furthermore, new methodologies like federated learning are addressing key challenges related to data privacy and security, while continual learning is paving the way for models that can adapt and evolve over time without catastrophic forgetting [14, 23].

Looking ahead, the future of AI is poised for even more dramatic shifts. Two key areas stand out as potential game-changers:

1. **Quantum Machine Learning:** This emerging field seeks to combine the power of ML with the principles of quantum computing [19]. Quantum computers, which leverage quantum bits (qubits) and phenomena like superposition and entanglement, have the potential to process vast amounts of data and perform complex calculations at speeds far beyond what is possible with classical computers. This could revolutionize tasks like large-scale optimization, which is a core component of ML, and enable new forms of data representation and pattern discovery [19]. Quantum machine learning algorithms could offer significant speedups for training complex models and tackling problems that are currently intractable for classical computers, such as advanced drug discovery and materials science.

2. **Edge AI:** The trend of moving AI computation from centralized cloud servers to local, on-device systems (the "edge") is gaining significant momentum [15]. This approach, known as Edge AI, allows for real-time processing, reduces network latency, and enhances data privacy by minimizing the need to send data to the cloud [15]. This will be crucial for the development of fully autonomous systems, smart home devices, and a new generation of intelligent robotics where instant decision-making is critical. The challenges of Edge AI include developing low-power, efficient models that can run on resource-constrained devices, and the need for new optimization techniques. However, the benefits of enhanced privacy and speed make it a key frontier for future AI development.

In conclusion, ML and DL are not merely tools; they are the engines of a new era of innovation. The future

promises to be one of more powerful, more intelligent, and more integrated AI systems, guided by an increasing focus on ensuring these technologies are transparent, fair, and beneficial for all of society.

REFERENCES

1. Arel, I.; Rose, D.C.; Karnowski, T.P. Deep machine learning—A new frontier in artificial intelligence research [research frontier]. *IEEE Comput. Intell. Mag.* 2010, 5, 13–18.
2. Benos, L.; Tagarakis, A.C.; Dolias, G.; Berruto, R.; Kateris, D.; Bochtis, D. Machine Learning in Agriculture: A Comprehensive Updated Review. *Sensors* 2021, 21, 3758.
3. Huang, J.; Chai, J.; Cho, S. Deep learning in finance and banking: A literature review and classification. *Front. Bus. Res. China* 2020, 14, 13.
4. Gambella, C.; Ghaddar, B.; Naoum-Sawaya, J. Optimization problems for machine learning: A survey. *Eur. J. Oper. Res.* 2021, 290, 807–828.
5. Vuong, Q. Machine Learning for Robotic Manipulation. 2021. Available online: <https://arxiv.org/abs/2101.00755v1> (accessed on 11 April 2023).
6. Yuan, F.-G.; Zargar, S.A.; Chen, Q.; Wang, S. Machine learning for structural health monitoring: Challenges and opportunities. *Sens. Smart Struct. Technol. Civ. Mech. Aerosp. Syst.* 2020, 11379, 1137903.
7. Kubat, M. *An Introduction to Machine Learning*; Springer International Publishing: Cham, Switzerland, 2017; pp. 321–329.
8. Hinton, G.E.; Osindero, S.; Teh, Y.-W. A fast learning algorithm for deep belief nets. *Neural Comput.* 2006, 18, 1527–1554.
9. Deng, L. *Deep Learning: Methods and Applications*. Found. Trends Signal Process. 2013, 7, 197–387.
10. Karhunen, J.; Raiko, T.; Cho, K. Unsupervised deep learning: A short review. In *Advances in Independent Component Analysis and Learning Machines*; Academic Press: Cambridge, MA, USA, 2015; pp. 125–142.
11. Du, K.L.; Swamy, M.N. *Neural Networks and Statistical Learning*, 2nd ed.; Springer Science & Business Media: London, UK, 2019; pp. 1–988.
12. Han, J.; Kamber, M.; Pei, J. *Data Mining: Concepts and Techniques*; Morgan Kaufmann: Waltham, MA, USA, 2012.

13. Haykin, S. Neural Networks and Learning Machines; Pearson Education USA: Upper Saddle River, NJ, USA, 2008.
14. Ahmad, J.; Farman, H.; Jan, Z. Deep learning methods and applications. In Deep Learning: Convergence to Big Data Analytics; SpringerBriefs in Computer Science; Springer: Singapore, 2019; pp. 31–42.
15. Deep Learning Techniques: An Overview|SpringerLink. Available online: https://link.springer.com/chapter/10.1007/978-981-15-3383-9_54 (accessed on 11 March 2023).
16. Srinivas, M.; Sucharitha, G.; Matta, A. Machine Learning Algorithms and Applications; Wiley: Hoboken, NJ, USA, 2021.